HP DesignJet T2600dr 36-in PostScript Multifunction Printer Plus Edition (3EK15A)



Overview

ENGINEERED FOR COLLABORATION—Turn your workgroups into highly efficient teams

Create highly efficient teams with the most compact, quiet MFP[3] that supports collaboration with a smart interface and access to shared folders.[2] Meet deadlines with the fastest print speed and the only automatic print stacking.[3]

SEAMLESS EXPERIENCE—Designed for all

Radically simple experience with a smart 15.6-inch interface and the easiest PDF printing with HP Click.[1]

SECURE—World's most secure large-format printer[5]

Rely on the best network protection with features like HP Secure Boot and whitelisting.[5]

UNLEASH PERFORMANCE—To turn design into delivery

Showcase design versatility from precise line drafts to boldly colored 3D renders, with HP Bright Office Inks.

---

[1] Compared to Canon Direct Print & Share and based on “One Click Print.” Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, TIFF, DWF, HP-GL/2 files.

[2] Using Lightweight Directory Access Protocol (LDAP).

[3] Based on comparable large-format inkjet printers under $12,000 (USD) as of December, 2018. IDC figures show that Canon, Epson, and HP combine for 98% share of this printing category worldwide as of Q3, 2018. Most compact footprint calculated using all devices in "Operation mode" with an Open Basket and the arm of the Screen (front panel) spread out to enable user interaction and the scanner lifted on the Canon TX 3000 T36 MFP and the Epson SC-T5200 MFP to enable top media loading. Most quiet according to internal HP testing of sound pressure level during operating mode (plain paper, line drawing, Normal mode) compared to published specification of competitive printers. Percentage calculations of noise based on lineal units vs. Canon TX-3000 published spec of 51dB(A). Fastest print speed based on sustained printing speeds. Only automatic print stacking based on unicity of the integrated stacker versus competitive printers only offering basket or bin with stacking position.

[5] Advanced embedded security features are based on HP review of 2019 published embedded security features of competitive printers, as of February 2019.

Specifications

Print quality color (best)	Up to 2400 x 1200 optimized dpi
Functions	Print, copy, scan
Connectivity, standard	Gigabit Ethernet (1000Base-T), Wi-Fi (with optional Jetdirect accessory), supporting the following standards: TCP/IP, BootP/DHCP (IPv4 only), DHCPv6, TFTP (IPv4 only), SNMP (v1, v2c, v3), Apple Bonjour Compatible, WS Discovery, Embedded Web Server (HTTP, HTTPS), IPsec, SMTP (email), Raw IP printing (9100), LPD, IPP, WS print, NTLM v2, SMBv3, SSL/TLS, 802.1X authentication (LEAP, PEAP, EAP-TLS), DFS
Mobile printing capability	Direct print from mobile apps on iOS, Android, and Chrome OS; email printing with HP ePrint and HP Smart app for iOS and Android
Software included	HP Click, HP mobile, ePrint and iOS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP Click Driver for Windows 11
Energy star certified	Yes
Scan file format	JPEG, TIFF and multipage TIFF, PDF and multipage PDF
Scan input modes	USB, shared network folder, printer HDD, email
Scanner type	Sheetfed, CIS (Contact Image Sensor)
Dimensions (W x D x H)	1390 x 760 x 1240 mm
Dimensions (W x D x H)	55 x 30 x 49 in
Weight	109 kg
Weight	240 lb
Power consumption	120 W (printing); <36 W (ready); <10 W (sleep); 0.3 W (off)
Environmental certification	ENERGY STAR, ErP, WEEE, RoHS (EU, China, Korea, India), REACH, EPEAT
What's in the box	HP DesignJet T2600 Multifuntion Printer, printer stand and media bin, 15.6" touchscreen, spindles (x2), printheads, introductory ink cartridges, user guide, power cords
Manufacturer Warranty	One-year limited hardware warranty

Additional specifications

Accessories	5NB95A HP SmartTracker USB License for DesignJet, 5NB95AAE HP SmartTracker for DesignJet (Electronic License), C0C66C HP DesignJet PostScript/PDF Upgrade Kit, CN538A HP DesignJet 3-in Core Adapter, L4R66A HP DesignJet 36-in Spindle, N7P47AA HP USB 3.0 to Gigabit LAN Adapter
Acoustic power emissions (active, printing)	≤5.9 B(A) (operating), ≤4.9 B(A) (idle), ≤3.5 B(A) (sleep)
Acoustic pressure emissions	42 dB(A) (operating), 32 dB(A) (idle), <17 dB(A) (sleep)
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Cartridge volume	130 ml; 300 ml
Color ink technology	Pigment; Dye
Copy reduce / enlarge settings	25 to 400%, at 1% increment
Datasheet photo 1	https://hp.widen.net/content/jsbn51z9l4/png/Publication%20photos_HP%20DesignJet%20T2600dr%2036-in%20MFP%20Plus%20Edition%20-%20Front%20Print_7115552_13c23a4e-a3b7-4983-8cf3-fbab6eff456d.png
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC)
End of Life CO2e (kg)	126.139
Energy Usage CO2e (kg)	0.009
Features	Adobe PostScript; Hard disk; Sheet input tray; Automatic horizontal cutter; Stand; USB
Finished output handling	Sheet feed, two automatic front-loading roll feeds, smart roll switching, integrated output stacker[4], media bin, automatic horizontal cutter; Scanner: straight-through scan paper path for sheet and cardboard originals
Functions	Print; Scan; Copy
HP ePrint capability	Yes
Ink drop	6 pl (C, M, Y, G, pK); 9 pl (mK)
Ink types	Dye-based (C, M, Y, pK, G); pigment-based (mK)
Internal Storage	500 GB self-encrypting removeable
Line accuracy	±0.1%[2]
Linear scan speed	Scan: Up to 7.62 cm/sec (color, 200 dpi), up to 25.4 cm/sec (grayscale, 200 dpi); Copy: Up to 15.24 cm/sec (color, 200 dpi), up to 25.4 cm/sec (grayscale, 200 dpi)
Linear scan speed	Scan: Up to 3 in/sec (color, 200 dpi), up to 10 in/sec (grayscale, 200 dpi); Copy: Up to 6 in/sec (color, 200 dpi), up to 10 in/sec (grayscale, 200 dpi)
Maximum roll diameter	5.5 in
Maximum scan length	50 m (PDF), 12 m (TIFF), 8 m (JPEG)[3]

Maximum scan length	164 ft (PDF), 39 ft (TIFF), 26 ft (JPEG)[3]
Media sizes standard (metric rolls)	279 to 914 mm
Media sizes standard (sheets, rolls)	11 to 36 in
Media sizes supported	A4, A3, A2, A1, A0
Media sizes supported	A, B, C, D, E
Media sizes, custom	210 x 279 to 914 x 1219 mm
Media sizes, custom	8.3 x 11 to 36 x 48 in
Media thickness	Up to 19.7 mil
Media thickness maximum (metric)	Up to 0.5 mm
Media types	Bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte, colored), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), backlit, self-adhesive (two-view cling, indoor paper, polypropylene, vinyl)
Media width, maximum	914 mm
Media width, maximum	36 in
Memory	128 GB (file processing)[5]
Model size	914 mm
Model size	36 in
Network ready	Standard
Non-Operating Humidity Range	0 to 90% RH
Non-printable area (cut-sheet)	3 x 22 x 3 x 3 mm
Non-printable area (cut-sheet)	0.12 x 0.87 x 0.12 x 0.12 in
Non-printable area (roll media)	3 x 3 x 3 x 3 mm
Non-printable area (roll media)	0.12 x 0.12 x 0.12 x 0.12 in
Number of cartridges	6
Operating humidity range	20 to 80% RH
Operating temperature range	5 to 35ºC
Operating temperature range	41 to 95ºF

Package dimensions (W x D x H)	1477 x 767 x 800 mm
Package dimensions (W x D x H)	58.1 x 30.2 x 31.5 in
Package weight	142 kg
Package weight	313 lb
Playbook TS icon dimensions AiO	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192862.png
Power	Input voltage (auto ranging) 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max
Print Cartridge/Bottle, Color(s)	Cyan, magenta, yellow, photo black, matte black, gray
Print Cartridges/Bottle, Number	6 (C, M, Y, G, pK, mK)
Print Technology	Ink
Print cartridge/bottle volume	300 ml (C, M, Y, G, pK, mK); 130 ml (C, M, Y, G, pK, mK)
Print heads	1 universal printhead
Print languages	Adobe PostScript 3, Adobe PDF 1.7, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4
Print speed	Less than 20 sec/page on D size
Print speed	180 A1/hr, 19.3 sec/A1[1]
Print speed	180 D/hr, 19.3 sec/D[1]
Print technology	HP Thermal Inkjet
Printer Applications	Architecture; Engineering; Construction; Technical documents; Maps
Printer drivers included	Raster, PostScript and PDF drivers for Windows, AirPrint for macOS, HP Click Driver for Windows 11
Printing path	Direct printing from USB flash drive, print from network shared folder, email printing, HP driver for Windows, HP Print Service for Android, Apple AirPrint driver for macOS and for iOS, HP Print for Chrome OS, HP Click, HP Smart App for iOS and Android, HP Click Driver for Windows 11
Product logos	AirPrint; ENERGY STAR; EPEAT green; IPv6 Ready; PANTONE Digital Color; Windows 10 Compatible; Adobe PostScript 3; HP Wolf security logo
Production CO2e (kg)	744.805
Recommended media	C6810A HP Bright White Inkjet Paper (FSC® certified)[6] (recyclable)[7] 914 mm x 91.4 m (36 in x 300 ft); C6980A HP Coated Paper (PEFC™ certified)[6] (recyclable)[7] 914 mm x 91.4 m (36 in x 300 ft); L5C80A HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)[6] (recyclable)[7] 914 mm x 91.4 m (36 in x 300 ft); D9R28A HP Everyday Matte Polypropylene, 3-in Core 914 mm x 61 m (36 in x 200 ft)
Roll external diameter	140 mm
Roll external diameter	5.5 in
Roll maximum input	2
Roll maximum weight	11.9 kg
Roll maximum weight	26.3 lb

Roll size	Up to 36 in
Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); Mexico (NYCE); India (BIS)
Scan resolution, optical	Up to 600 dpi
Scan size, minimum	210 x 297 mm
Scan size, minimum	8.2 x 11.6 in
Scanner maximum media thickness	0.8 mm
Scanner maximum media thickness	0.03 in
Security features	HP Wolf Pro Security, HP Secure Boot, Allowlisting, TPM, Role Based Access Control, LDAP and Kerberos authentication, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (DoD 5220.22-M), Secure File erase, self-encrypting HDD, encrypted PIN printing, Syslog security logging
Storage temperature range	-25 to 55ºC
Storage temperature range	-13 to 131ºF
Supported Primary Applications	Line drawings; Maps; Orthophotos; Presentations; Renderings
Sustainability Impact	ENERGY STAR®; EPEAT®
Technology logo 1	AHID/25703585f45c14f5879b159e43544b4669b14304
Technology logo 2	AHID/cd33e848211911e4369b10008531951b0aa3cde7
Technology logo 3	AHID/b01a2ae200e13b15cccef51e2b34c00df8dae9c0
Technology logo 4	AHID/6615658f92b8dd21f3c5b78f3bea628bd257123b
Technology logo 5	AHID/f9224d96cd827cf0ee4e062d349e8f701d1eb6d9
Technology logo 6	AHID/c885e5162be6c4eb2b4aa2d6270b22837683a15b
Technology logo 7	AHID/37ef85532914cb31e963407db6c25f3d4602df24
Technology logo 8	AHID/a286acf7dedc806cefddc5c667fc866212f76463
Theoretical minimum line width	0.02 mm (PDF addressable @ 1200 dpi)
Theoretical minimum line width	0.0008 in (PDF addressable @ 1200 dpi)

Total CO2e (kg)	922.028 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	51.075
UNSPSC code	43212107
UPC number	193808346620
Web address for additional information	http://www.hp.com/go/designjett2600

Services

HP Care Pack Services

★ : Recommended

Graphics Solutions Care Pack Services

HP 1 year Post Warranty NBD Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U7PE
HP 2 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U3E
HP 2 year Post Warranty NBD Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U8PE
HP 3 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U4E
HP 4 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U5E
HP 5 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U6E
HP Excessive Installation Service DesignJet (NASPO Only)	U46TYE
HP Maintenance Kit Replacement Service for DesignJet T1600 and T2600	U8ZP6E
HP Maintenance Kit Replacement Service for DesignJet T1600/T2600 (PMK1 Scan Axis)	U67TME
HP Maintenance Kit Replacement Service for DesignJet T1600/T2600 (PMK3 Service Station)	U67TNE
HP Network Installation Service for DesignJet High-end and Midrange	H4518E
HP Preventive Maintenance Onsite Service for 2 hour for DesignJet Printers (Single Event)	U1XV4E
HP Return to Support Service for DesignJet (Midrange 36 inch)	U67TVE

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Graphic Arts Inks/Printheads

HP 727/732 DesignJet Printhead	B3P06A
HP 730 130-ml Cyan DesignJet Ink Cartridge	P2V62A
HP 730 130-ml Gray DesignJet Ink Cartridge	P2V66A
HP 730 130-ml Magenta DesignJet Ink Cartridge	P2V63A
HP 730 130-ml Matte Black DesignJet Ink Cartridge	P2V65A
HP 730 130-ml Photo Black DesignJet Ink Cartridge	P2V67A
HP 730 130-ml Yellow DesignJet Ink Cartridge	P2V64A
HP 730 300-ml Cyan DesignJet Ink Cartridge	P2V68A
HP 730 300-ml Gray DesignJet Ink Cartridge	P2V72A
HP 730 300-ml Magenta DesignJet Ink Cartridge	P2V69A
HP 730 300-ml Matte Black DesignJet Ink Cartridge	P2V71A
HP 730 300-ml Photo Black DesignJet Ink Cartridge	P2V73A
HP 730 300-ml Yellow DesignJet Ink Cartridge	P2V70A

Accessories

Paper Handling

★ : Recommended

Roll Core Adapters

HP DesignJet 3-in Core Adapter	CN538A

Spindles

HP DesignJet 36-in Spindle	L4R66A

Postscript/PCL5 Emulations

Postscript/PCL5 Emulations

HP DesignJet PostScript/PDF Upgrade Kit	7HC76A

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A

Scanners/Copiers/Faxes

Scanners

★ : Recommended

Large Format Scanners

HP HD Pro 2 42-in Scanner	5EK00A
HP HD Pro 2 42-in Scanner	5EK00D
HP SD Pro 2 44-in Scanner	5EK01A
HP SD Pro 2 44-in Scanner	5EK01D

Software

Printing and Imaging Software

★ : Recommended

Printer Management Software

HP SmartStream Preflight Manager	8SW00AAE
HP SmartStream Print Controller USB for HP DesignJet Printers	8SW01A
HP SmartStream Print Controller for HP DesignJet Printers	8SW01AAE
HP SmartStream USB Preflight Manager	8SW00A
HP SmartTracker USB for DesignJet	5NB95A
HP SmartTracker for DesignJet	5NB95AAE

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.