HP OfficeJet Pro 9730 Wide Format All-in-One Printer (537P5C)



Overview

Print and scan in wide format like a Pro.

Wide-format printing designed for teams that demand precision and scale. Print and scan up to A3 with the world's first wide-format printer with P3 color. Enjoy lab-tested reliability, certified to deliver consistent, jam-free printing.[1,5]

Wide-format printing for big ideas

From floor plans to creative concepts, get the ability to print and scan up to A3 wide format.

Made with at least 30% recycled plastic[6]

Made with at least 30% recycled plastic.[6]

Proven and certified reliability[5]

Print up to 30,000 pages with confidence – HP OfficeJet Pro performs consistently throughout.[5]

Features



Bring your team's digital designs to life with vivid color printing.



Scan business receipts or save documents to popular cloud apps with the HP app.[3]



Stay connected with reliable, dual-band Wi-Fi®.[4]



Quickly navigate tasks with a 4.3" color touchscreen.



Security that works in the background, so your business can stay front and center.



Quick, double-sided single-pass scanning with the automatic document feeder.

---

[1] HP OfficeJet 9700 printers are the world's first Display P3 color gamut capable wide-format printers delivering a wider color range than sRGB. Based on June 2023 internal research of Expanded Color Gamut technology's comparison against comparable, top-selling competitive printers.

[5] BLI Reliability certificate based on devices tested by Keypoint Intelligence in 2024. For details, see: https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA8-4649ENW .

[6] Recycled plastic is expressed as a percentage of the total weight of plastic. Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2.

Specifications

Print Resolution Technologies	HP Thermal Inkjet
Print Resolution Black (best)	Up to 1200 x 1200 rendered dpi
Print Resolution Color (best)	Up to 4800 by 1200 optimized dpi on HP Advance Photo Paper 1200 by 1200 dpi input
Print Speed Black (normal, A4)	Up to 22 ppm
Print Speed Black (normal, letter)	Up to 22 ppm
Print Speed Color (normal, A4)	Up to 18 ppm
Print Speed Color (normal, letter)	Up to 18 ppm
Print Speed	Print speed up to 22 ppm (black) and 18 ppm (color)
Print Margin Bottom (A4)	3.3 mm
Print Margin Left (A4)	3.3 mm
Print Margin Right (A4)	3.3 mm
Print Margin Top (A4)	3.3 mm
AIO Functions	Print, copy, scan
Duplex Print Options	Automatic
Duty Cycle (monthly, A4)	Up to 30,000 pages
Duty Cycle (monthly, letter)	Up to 30,000 pages
Printer Smart Software Features	Color mode: Color/Grayscale using black only/Grayscale using CMYK black, Two-sided Printing: none/Flip on long edge/Flip on short edge, Pages per sheet: 1,2,4,6,9,16, Pages per sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left, Page Borders: On/Off, Print Quality: Normal/Draft/Best/Maximum dpi, Copy count, Collate, Orientation: Portrait/Landscape, Paper Size, Paper Source, Media Type, Booklet printing: Off/Left Binding/Right Binding, Watermarks, Page order: Front to Back/Back to Front, HP EasyColor: Off/Conservative/Automatic, Borderless printing: Off/On, Presets
Scanner Advanced Features	Smart Task Shortcuts; Scan to Cloud destinations: Dropbox, Google Drive, OneDrive; OCR (Optical Character Recognition); Auto Correct; Smart File Naming; Save as Text File
Energy Savings Feature Technology	Schedule On and Schedule Off
Replacement Cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN. HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies .

Connectivity, Std	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band)
Modem	Not Supported
Network Capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac
Wireless Capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
Mobile Printing Capability	Chrome OS; HP app; Apple AirPrint™; Mobile Apps; Wi-Fi® Direct Printing; Mopria™ certified
Supported Network Protocols	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client; LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
Software Included	HP Printer Software
Compatible Operating Systems	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS[4] *(Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit; Linux (For more information see http://developers.hp.com/hp-linux-imaging-and-printing))*
Technical Features	Borderless Printing; Wireless; Wireless Direct; AirPrint; Touchscreen; ADF; Automatic two-sided printing; HP Printables
Sustainability Specifications	Contains ocean-bound recycled plastic; Recyclable through HP Planet Partners; FSC Certified Packaging
Energy Star Certified	Yes
Ecolabels (fixed)	EPEAT® registered
Blue Angel Compliance	No, please refer to the ECI (Ecolabel Comparison Information) document
Copy Speed Black (best A4)	Up to 4 cpm
Copy Speed Black (best, letter)	Up to 4 cpm
Copy Speed Color (best A4)	Up to 4 cpm
Copy Speed Color (best, letter)	Up to 4 cpm
Digital Sending Standard Features	Scan to PC; Scan to Memory Device; Scan to email
Scan Speed (normal, A4)	Up to 8/6 ipm (B&W/Color 200 ppi)
Scan File Format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan Input Modes	Front-panel scan, copy or from software
Scan Technology	Contact Image Sensor (CIS)
Scan Type	Flatbed, ADF
Display Description	4.3" LCD (color) with Cap Sense touchscreen function

Product Dimensions W x D x H (metric)	581 x 467 x 386 mm (Output Tray + Cleanout Door not extended)
Product Dimensions W x D x H (imperial)	22.9 x 18.4 x 15.20 in (Output Tray + Cleanout Door not extended)
Weight (metric)	19.5 kg
Weight (imperial)	42.9 lb
Power Consumption Description	0.11 watts (Manual-Off), 5.40 watts (Standby), 1.39 watts (Sleep)[None]
Power Supply Type	Internal (Built-in) Universal Power Supply
What Is In The Box	NA: HP OfficeJet Pro 9730 WF AiO Printer; HP 936 Setup Black Ink Cartridge (~800 pages); HP 936 Setup Cyan Ink Cartridge (~420 pages); HP 936 Setup Magenta Ink Cartridge (~420 pages); HP 936 Setup Yellow Ink Cartridge (~420 pages); Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies] EU / AP Developed Market: HP OfficeJet Pro 9730 WF AiO Printer; HP 937 Setup Black Ink Cartridge (~800 pages); HP 937 Setup Cyan Ink Cartridge (~420 pages); HP 937 Setup Magenta Ink Cartridge (~420 pages); HP 937 Setup Yellow Ink Cartridge (~420 pages); Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]
Manufacturer Warranty	One-Year limited hardware warranty. For more info please visit us at http://support.hp.com .

Additional specifications

Acoustic Power Emissions (active copy)	6.6 B(A)
Acoustic Power Emissions (active, printing)	6.8 B(A)
Acoustic Pressure Emissions	60 dBA
Active Copy	None
Auto Document Feeder Capacity	Standard, 35 sheets
Automatic Paper Sensor	No
Bit Depth	24-bit
Borderless Printing	Yes (up to A3/11 x 17-in)
Camera Phone Supported	Yes
Cartons Per Layer	2
Color	Cement
Color Copy Capability	Yes
Color Scanning	Yes
Color or Black (filter)	Color
Compatible Network Operating Systems	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Connection Type	Wireless
Control Panel	4.3" (10.92 cm) touchscreen control panel with color graphic display; LED indicator light (WiFi indicator)
Copier Reduce/enlarge	25 to 400%
Copier Settings	Copies; Size; Quality; Tray Selection; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; binding Margin; Enhancement; Crop; Copy preview
Copy Resolution, Black Graphics	Up to 600 dpi
Copy Resolution, Black Text	Up to 600 dpi
Copy Resolution, Color Text and Graphics	Up to 600 dpi
Copy Speed Black (ISO)	Up to 18 cpm
Copy Speed Color (ISO)	Up to 13 cpm
Copy Speed Note	Copy speeds may vary depending on the type of document.
Count of Layers In Pallet	5
Display Description (metric)	10.92 cm touchscreen control panel with color graphic display; LED indicator light (WiFi indicator)
Duty Cycle Note	Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis.

Dynamic security	Dynamic security enabled printer
Electromagnetic Emission Standard	CISPR 32:2015+A1:2019/EN 55032:2015+A11:2020 Class B; CISPR 24:2010+A1:2015/EN 55024:2010+A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013+A1:2019; FCC CFR 47, Part 15 Class B/ICES-003, Issue 7 Class B
Envelope Feeder	No
Fax Memory Footnote	Analog Fax not supported
Fax Polling Supported	No
Fax Speed Footnote	Analog Fax not supported
File Formats	PDF; TIFF; JPEG
First Page Out Black (A4, ready)	As fast as 12 sec
First Page Out Black (letter, ready)	As fast as 12 sec
First Page Out Color (A4, ready)	As fast as 13 sec
First Page Out Color (letter, ready)	As fast as 13 sec
Geographic Availability of Product	LA; APJ; EMEA
Grayscale Levels	256
Hard Disk	Not Supported
In Box Cable	USB Cable: No
Ink Types	Pigment-based (black and color)
Input Capacity Maximum (4 X 6 Photo)	Up to 50 sheets
Input Capacity Maximum (photo paper)	Up to 50 sheets
Input Capacity, Envelopes (primary)	Up to 30 envelopes
Input Capacity, Max	Up to 500 sheets
Input Capacity, Max, 10 X 15 cm Photo	Up to 50 sheets
Input Capacity, Max, Cards	Up to 50 sheets
Input Capacity, Max, Envelopes	Up to 30 envelopes
Input Capacity, Max, Labels	Up to 50 sheets
Input Capacity, Standard, Legal	Up to 250 sheets
Input Capacity, Std	Up to 500 sheets (Tray 1: up to 250 sheets, Tray 2: up to 250 sheets)
Input Capacity, Std (secondary tray)	Up to 250 sheets
Input Capacity, Std, Cards	Up to 50 sheets
Junk Barrier Supported	No

Key Media Sizes Supported (imperial)	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Key Media Sizes Supported (metric)	10 x 15 cm; A4; A3; Envelopes
Mac Compatible	Yes
Max Dimensions W x D x H (imperial)	22.9 x 33.2 x 15.2 in (Output Tray + Cleanout Door fully extended)
Max Dimensions W x D x H (metric)	581 x 842 x 386 mm (Output Tray + Cleanout Door fully extended)
Max Number Of Copies	Up to 99 copies
Maximum Memory	512 MB
Media Handling, Document Finishing	Sheetfed
Media Sizes Custom (imperial)	Tray 1: 3 x 5 to 11.7 x 17 in; Tray 2: 8.5 x 11 to 11.7 x 17 in
Media Sizes Custom (metric)	Tray 1: 76 x 127 to 297 x 420 mm; Tray 2: 210 x 297 to 297 x 420 mm
Media Types	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g
Media Weight Recommended (imperial)	16 to 28 lb, bond
Media Weight Recommended (metric)	60 to 105 g/m²
Media Weights Supported, By Paper Path (Imperial)	9 to 66 lb bond (plain media)
Media Weights Supported, By Paper Path (metric)	34 to 250 g/m²
Memory Slots	Not Support
Model Number	9730
Multitasking Supported	Yes
Non-operating Altitude (imperial)	15,000ft
Non-operating Altitude (metric)	4,500m
Number of Simultaneous Users (local + network)	1-5 Users
Operating Altitude (imperial)	10,000 ft
Operating Altitude (metric)	3,000m
Operating Humidity Range	20 to 80% RH
Operating Humidity Range (recommended)	25 to 75% RH
Operating Temperature Range (celsius)	5 to 40°C

Operating Temperature Range (fahrenheit)	41 to 104ºF
Operating Temperature Range (recommended celsius)	15 to 32º
Operating Temperature Range (recommended fahrenheit)	59 to 90ºF
Orderable Supplies	HP 936 Black Original Ink Cartridge 4S6V2LN, HP 936 Cyan Original Ink Cartridge 4S6U9LN; HP 936 Magenta Original Ink Cartridge 4S6V0LN; HP 936 Yellow Original Ink Cartridge 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge 4S6V5LN
Output Capacity Max (photo paper)	Up to 25 Asize sheets, Up to 20 Bsize sheets
Output Capacity, Max	Up to 75 Asize sheets, Up to 50 Bsize sheets
Output Capacity, Max, Cards	Up to 35 cards
Output Capacity, Max, Envelopes	Up to 25 envelopes
Output Capacity, Std	Up to 75 sheets
Output Capacity, Std, Cards	Up to 35 cards
Output Capacity, Std, Envelopes	Up to 25 envelopes
Output Capacity, Std, Labels	Up to 35 sheets
Output Capacity, Std, Legal	Up to 75 sheets
Package Dimensions W x D x H (imperial)	26.30 x 21.46 x 19.17 in
Package Dimensions W x D x H (metric)	668 x 545 x 487 mm
Package Weight (imperial)	53.79 lb
Package Weight (metric)	24.45 kg
Page Yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite
Pallet Dimensions (imperial)	48 x 40 x 101 in
Pallet Dimensions W x D x H (metric)	1220 x 1015 x 2562 mm
Pallet Weight (imperial)	573 lb
Pallet Weight (metric)	261 kg
Paper Handling Optional/input	No
Paper Handling Standard/input	250-sheet input tray, 250-sheet plain paper tray,
Paper Handling Standard/output	75-sheet output tray
Paper Trays, Maximum	Up to 2
Paper Trays, Standard	2

Playbook TS icon 1	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03795768.png
Playbook TS icon 3	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532625.png
Playbook TS icon 4	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169153.png
Plug and Play Technologies	Auto Wireless Connect; HP Smart Install
Power Supply Required	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
Print Cartridge/Bottle, Color(s)	Black, cyan, magenta, yellow
Print Cartridges/Bottle, Number	4 (1 each black, cyan, magenta, yellow)
Print Colors	Yes
Print Colors Maximum	4
Print Head Nozzles	Total nozzles = 1568/color * 4 = 6272
Print Heads	4 (1 each black, cyan, magenta, yellow)
Print Languages, Standard	HP PCL 3 GUI, HP PCL 3 Enhanced
Print Speed Black (ISO)	Up to 22 ppm
Print Speed Black (best, A4)	Up to 5 ppm
Print Speed Black (best, letter)	Up to 5 ppm
Print Speed Black (draft, A4)	Up to 34 ppm
Print Speed Black (draft, letter)	Up to 34 ppm
Print Speed Color (ISO)	Up to 18 ppm
Print Speed Color (draft, A4)	Up to 34 ppm
Print Speed Color (draft, letter)	Up to 34 ppm
Print Technology	HP Thermal Inkjet
Printable Area Maximum (metric)	297 x 431.8 mm
Printer Drivers Included	HP PCL 3 GUI, HP PCL 3 Enhanced
Processor Speed	1.2 GHz
Product Color Description (fixed)	Cement
Product Dimensions with Trays Up W x D x H (metric)	581 x 467 x 386 mm (Output Tray + Cleanout Door not extended); 581 x 842 x 386 mm (Output Tray + Cleanout Door fully extended)
Product Logos	Energy Star; USB Hi-Speed Certified; "Works with Windows 10" logo; “Wireless; Print; Scan; Copy”; Airprint; Ethernet; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, MFi, Works with Apple iBeacon, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart
Product Long Name Specifications	HP OfficeJet Pro 9730 Wide Format All-in-One Printer, Small medium business, Print, copy, scan, Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to pdf; Touchscreen; Quiet mode
Product Number orderable	537P5C#AKY-8443310000; 537P5C#AC8-8443310000; 537P5C#AKH-8443310000; 537P5C#AC4-8443310000; 537P5C#614-8443310000; 537P5C#BHG-8443310000; 537P5C#A6G-8443310000; 537P5C#AK3-8443310000; 537P5C#ACJ-8443310000; 537P5C#AB2-8443310000;

Product Short Name Specifications	HP OfficeJet Pro 9730 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner
Quantity Per Pallet	10
RMN Number	SNPRC-2301-01
Recommended Monthly Page Volume	250 to 1500[5]
Recommended Monthly Page Volume Note	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.
Remote Retrieval Capability Supported	No
Safety Approvals and Requirements	IEC 62368-1:2014/EN 62368-1:2014+A11:2017/BS EN 62368-1:2014+A11:2017; IEC 62368-1:2018/EN IEC 62368-1:2020+A11:2020/ BS EN IEC 62368-1:2020+A11:2020; IEC 60950-1:2005+A1:2009+A2:2013; ANSI/UL 62368-1: 3rd Edition;CAN/CSA C22.2 No. 62368-1-19: 3rd Edition; Germany GS (Safety); China CCC; Taiwan BSMI
Scan Resolution, Hardware	Up to 1200 x 1200 dpi
Scan Resolution, Optical	Up to 1200 dpi
Scan Size Maximum (ADF, Imperial)	8.5 x 14 in
Scan Size Maximum (ADF,metric)	216 x 356mm
Scan Size Maximum (flatbed, imperial)	11.69 x 17 in
Scan Size Maximum (flatbed, metric)	297 x 432 mm
Scan Speed Duplex (normal, A4)	Up to 14/11 ipm(B&W/Color 200 ppi)
Security Management	SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings
Segment (filter)	Small office
Send To Email Capability	Yes
Service and Support Options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support .
Standard Media Sizes (duplex, Imperial)	Legal, Letter; executive, Ledger
Standard Media Sizes (duplex, metric)	A4; B5; A3
Standard Media Sizes Supported (imperial)	Letter; Legal; Government Legal; Executive; Statement; 3 x 5 in; 4 x 6 in; 4 x 12 in; 5 x 5 in; 5 x 7 in; 8 x 10 in; L; Photo 2L; Envelope(#10, Monarch); Card (3 x 5 in, 4 x 6 in, 5 x 8 in); Tabloid(11x17 in)
Standard Media Sizes Supported (metric)	A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki); A3
Standard Memory	512 MB[None]

Standard Memory Note	None
Storage Device and Direct Print Support	Storage devices not supported
Storage Temperature Range (celsius)	-40 to 60°C
Storage Temperature Range (fahrenheit)	-40 to 140ºF
System Requirements Recommended Macintosh	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
System Requirements, Macintosh, Minimum	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
System Requirements, Minimum	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge
System Requirements, Recommended	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge
Target Number of Users and Print Volume	Prints up to 1,500 pages/month
Tariff Numbers	537P5C#AKY-8443310000; 537P5C#AC8-8443310000; 537P5C#AKH-8443310000; 537P5C#AC4-8443310000; 537P5C#614-8443310000; 537P5C#BHG-8443310000; 537P5C#A6G-8443310000; 537P5C#AK3-8443310000; 537P5C#ACJ-8443310000; 537P5C#AB2-8443310000;
Technology	Ink
Telecom Compliance Certifications	EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1
Top Key Features	Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to pdf; Touchscreen; Quiet mode
Twain Version	Version 2.4
UNSPSC Code	43212110
UPC Number	(614) 196337487888; (A6G) 196337487895; (AB2) 196337487901; (AC4) 196786702372; (AC8) 196786702389; (ACJ) 196337487918; (AK3) 196786702396; (AKH) 197029095497; (AKY) 196337623804; (BHG) 196786702402; (BHJ) 199764605078
Wireless Technology	802.11 a/b/g/n/ac 1x1 (2.4/5 GHz) with (BLE).

---

[4] Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit)

[5] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 936 Black Original Ink Cartridge	4S6V2LN
HP 936 CMYK Original Ink Cartridge 4-Pack	6C3Z5LN
HP 936 CMYK Original Ink Cartridge Club 5-Pack	6C3Z7BN
HP 936 Cyan Original Ink Cartridge	4S6U9LN
HP 936 Magenta Original Ink Cartridge	4S6V0LN
HP 936 Yellow Original Ink Cartridge	4S6V1LN
HP 937 Black Original Ink Cartridge	4S6W5NA
HP 937 Black Original Ink Cartridge	4S6W5NE
HP 937 CMYK Original Ink Cartridge 4-Pack	6C3Z9NA
HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 937 Cyan Original Ink Cartridge	4S6W2NA
HP 937 Cyan Original Ink Cartridge	4S6W2NE
HP 937 Magenta Original Ink Cartridge	4S6W3NA
HP 937 Magenta Original Ink Cartridge	4S6W3NE
HP 937 Yellow Original Ink Cartridge	4S6W4NA
HP 937 Yellow Original Ink Cartridge	4S6W4NE
HP 938 Black Original Ink Cartridge	4S6X8PA
HP 938 Black Original Ink Cartridge	4S6X8PE
HP 938 Black Original Ink Cartridge	4S6X8PL
HP 938 Cyan Original Ink Cartridge	4S6X5PA
HP 938 Cyan Original Ink Cartridge	4S6X5PE
HP 938 Cyan Original Ink Cartridge	4S6X5PL
HP 938 Magenta Original Ink Cartridge	4S6X6PA
HP 938 Magenta Original Ink Cartridge	4S6X6PE
HP 938 Magenta Original Ink Cartridge	4S6X6PL
HP 938 Yellow Original Ink Cartridge	4S6X7PA
HP 938 Yellow Original Ink Cartridge	4S6X7PE
HP 938 Yellow Original Ink Cartridge	4S6X7PL

HP EvoMore Ink Cartridges

HP 936e EvoMore Black Original Ink Cartridge	4S6V6LN

HP 936e EvoMore Cyan Original Ink Cartridge	4S6V3LN
HP 936e EvoMore Magenta Original Ink Cartridge	4S6V4LN
HP 936e EvoMore Yellow Original Ink Cartridge	4S6V5LN
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NA
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NE
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NA
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NE
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NA
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NE
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NA
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NE
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PA
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PE
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PA
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PE
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PA
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PE
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PA
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PE

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A
HP Matte Photo Paper 48 lb 4 x 6 in. (101 x 152 mm) 25 sheets	6QH46A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements

accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 12, 2026 3:16 AM UTC+0000