2 Port HDMI KVM Switch - 4K 60Hz - Compact Dual Port UHD/Ultra HD USB Desktop KVM Switch w/Integrated 4ft Cables & Audio - Bus Powered & Remote Switching - MacBook ThinkPad

Product ID: SV211HDUA4K



The SV211HDUA4K 2-Port 4K60Hz HDMI Cable KVM Switch with Audio and Remote Switching Control gives you control of two HDMI, USB equipped computers with a single monitor, keyboard, mouse and audio peripheral set.

The Dual HDMI KVM switch supports resolutions up to 4K at 60Hz and can drive one large HDMI display with ease, maximizing viewing space. With support for separate 3.5 mm stereo audio, the KVM switch delivers full audio compatibility across connected computers.

This HDMI KVM switch is OS independent, meaning it can work with virtually any laptop or desktop computer.

The switch features a remote push-button on a 1.5 meter (4ft) integrated cable that can be placed in an easily accessible location, as well as keyboard hot-keys, and optional PC or Mac compatible software for switching between systems.

StarTech.com offers a wide selection of high-quality KVM switches and KVM-related products to help you access your systems more efficiently without the expense and clutter of extra keyboards, mice and monitors.

The SV211HDUA4K is backed by a 2-year StarTech.com warranty and free lifetime multilingual technical support.

Certifications, Reports and Compatibility

Applications

Features

• Operate and access two HDMI computers from one workstation at 4K 60Hz resolutions

• Integrate into your set up quickly and easily with built-in 4 ft. KVM cables and a space-saving design

• Switch PCs via push-button, hot-keys or switching software

• Switching software supports Windows, Windows Server & macOS platforms

• USB Powered - No external power adapter required

General		
	UPC	065030882163
	Package Quantity	1
	Warranty	2 Years
Special Notes / Requirements		
	Special Notes	In order to access the software and hotkeys of the KVMs, a compatible OS must be installed on the connected host, however the KVM and push button switching function is OS independent
Power		
	Power Source	Bus Powered
	Input Voltage	5V DC
	Output Voltage	5 DC
Physical & Environmental		
	Color	Black
	Product Length	4.3 ft [1.3 m]
	Product Width	3.8 in [97 mm]
	Product Height	1.0 in [25 mm]
	Weight of Product	15.2 oz [431 g]

	Operating Temperature	0 ~ 40C
	Storage Temperature	-20 ~ 60C
	Humidity	0 ~ 90% RH, Non-Condensing

Performance

	Maximum Data Transfer Rate	480Mbps (USB 2.0)
	IP Control	No
	Hot-Key Selection	Yes
	Port Selection Support	Push Button, Hotkeys, and Software
	On-Screen Display	No
	Auto Scan	10, 20, 30, 40, 50, and 60 seconds
	MTBF	1,012,884 hours
	Maximum Digital Resolutions	3840 x 2160 (Ultra HD 4K) @ 60hz
	Wide Screen Supported	Yes

Hardware

	CAC Support	No
	Audio	Yes
	Number of KVM Ports	2
	Supported Platforms	USB
	PC Video Type	HDMI
	Number of Monitors Supported	1
	Rack-Mountable	No
	Cables Included	Yes
	Cascadable	No
	LED Indicators	2 - Orange

Packaging &

In-the-Box

Included in Package	1 - KVM Switch
	1 - Quick-Start Guide
Package Width	9.8 in [24.9 cm]
Package Depth	6.4 in [16.2 cm]
Package Height	2.5 in [63 mm]
Shipping (Package) Weight	18.9 oz [534 g]

Connector(s)

Host Connector 1 (Quantity)	2
Host Connector 1	USB-A (480Mbps, 2.5W)
Host Connector 2 (Quantity)	2
Host Connector 2	HDMI
Host Connector 3 (Quantity)	4
Host Connector 3	3.5mm (3 Conductors, TRS)
Connector 1 (Quantity)	2
Connector 1	USB-A (480Mbps, 2.5W)
Connector 2 (Quantity)	1
Connector 2	HDMI
Connector 3 (Quantity)	2
Connector 3	3.5mm (3 Conductors, TRS)

Product appearance and specifications are subject to change without notice.