USB to Dual HDMI Adapter, USB A/C to 2x HDMI Displays (1x 4K30Hz, 1x 1080p), Integrated USB-A to C Dongle, 4in/11cm Cable, USB 3.0 to HDMI Display Adapter, Windows & macOS

Product ID: 107B-USB-HDMI



This USB to Dual HDMI Adapter enables the addition of two independent HDMI displays (1x 4K & 1x 1080p) to your computer, using a single USB Type-A 3.2 Gen 1 (5 Gbps) connection.

This USB to HDMI Dual Monitor Adapter features two video outputs, boosting productivity by connecting up to two displays using a single USB Type-A or C port. The adapter is bus-powered, lightweight, and features an integrated 4.3" (11cm) USB cable, making it ideal for transitioning between the office, home, or connecting to displays in a boardroom.


Connect a 4K 30Hz and a 1080p display to a laptop or desktop. The USB to Multi-Monitor Adapter supports extended or mirrored display modes, and ultrawide displays, providing additional viewing space.

The USB video adapter is compatible with Windows, macOS, and Chrome OS. The integrated USB-A to USB-C dongle ensures USB compatibility with any host running a supported operating system. The attached 4.3in (11cm) cable is convenient for on the go use.

107B-USB-HDMI is backed for 3-years by StarTech.com, including free 24/5 multi-lingual technical assistance.

Certifications, Reports and Compatibility

Windows 11 | Windows 11 ARM | Windows 10 | Windows 7 | macOS Sequoia | macOS Sonoma | macOS Tahoe | macOS Ventura | macOS Monterey



Applications

• Run multiple applications on extended HDMI displays

• Add multi-monitor capabilities, using only a single USB-A or USB-C port

• Add two displays to your workstation

Features

• IT PRO PERFORMANCE: USB to Dual HDMI Display adapter built with Silicon Motion's Content Adaptive Technology uses multiple processing algorithms resulting in minimal CPU usage, low latency for smoother lag free graphics (i.e. mouse and window movement)

• INCREASED PRODUCTIVITY: Add dual displays to almost any laptop with the integrated USB-A or USB-C adapter dongle; Enable extended dual display on base Apple M-Series MacBooks, which natively only support one

• SPECS: Dual HDMI video outputs with 1x 4K 30Hz & 1x 1080p; This USB to Dual HDMI Adapter uses a single USB 3.0/3.2 Gen 1 (5Gbps) connection or later; 2ch HDMI Audio; USB bus-powered, no power supply required; 4in (11cm) attached cable

• EXTERNAL VIDEO GRAPHICS ADAPTER: Connect additional displays when extra video ports are not available on a laptop or dock; Use with two external monitors and a workstation laptop screen; Ideal for business productivity apps, not ideal for gaming

• COMPATIBILITY: This converter works with Windows, macOS, Chrome OS V98+ (Stable Channel), and Ubuntu; Automatic driver installation in Windows and Chrome OS; Requires Driver Download for macOS and Ubuntu; Works w/ USB 3.0, USB-C, USB4, and Thunderbolt

General		
	UPC	065030894012
	Package Quantity	1
	Warranty	3 Years
Special Notes / Requirements		
	Special Notes	This device is HDCP compliant, and will not playback copy protected content When installed on Linux, this adapter supports up to two 1080p 60Hz displays

	System and Cable Requirements	Manual driver installation is required for macOS
Power		
	Power Source	Bus Powered
Physical & Environmental		
	Color	Gray
	Material	Plastic
	Cable Length	4.3 in [11 cm]
	Product Length	10.8 in [27.5 cm]
	Product Width	2.0 in [50.0 mm]
	Product Height	0.6 in [15.0 mm]
	Weight of Product	3.0 oz [86.0 g]
	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-10C to 70C (14F to 158F)
	Humidity	10% to 90% RH
Performance		
	Audio Specifications	HDMI - 2 Channel Audio
	Maximum Digital Resolutions	3840 x 2160 @ 30Hz
	Supported Resolutions	Output 1: 38402160, 25601440, 19201080, 1600900, 1280720 Output 2: 1920 x 1080, 1600 x 900, 1280x720 Other lower resolutions may be supported
	Wide Screen Supported	Yes
Hardware		

	AV Input	USB-C
		USB 3.2 Gen 1 (5Gbps)
	Number of Ports	2
	AV Output	HDMI - 1.4
	USB Pass-Through	No
	Memory	8Gb DDR3
	Number of Displays	2
	Chipset ID	Silicon Motion - SM768
	LED Indicators	1 - Power (Blue)
Packaging & In-the-Box		
	Included in Package	1 - USB-A/USB-C to Dual HDMI Adapter
		1 - Quick-Start Guide
	Package Width	5.7 in [14.4 cm]
	Package Depth	6.8 in [17.3 cm]
	Package Height	1.3 in [32 mm]
	Shipping (Package) Weight	5.6 oz [158 g]
Connector(s)		
	Connector 1 (Quantity)	1
	Connector 1	USB-A (5Gbps, 4.5W)
	Connector 2 (Quantity)	1
	Connector 2	USB-C (5Gbps, 4.5W)
	Connector 3 (Quantity)	2
	Connector 3	HDMI

Product appearance and specifications are subject to change without notice.