1 ft USB to RS232 Serial DB9 Adapter Cable with COM Retention - TAA

Product ID: ICUSB232PRO




The ICUSB232PRO 1 ft USB to RS232 Serial DB9 Adapter Cable with COM Retention offers a professional grade solution for connecting legacy or industrial RS232 serial devices to a laptop or desktop computer through USB - eliminating the expense of upgrading serial peripherals for compatibility.

A time-saving and convenient USB/Serial solution, the adapter retains assigned serial COM port values in nonvolatile memory, allowing the same values to automatically be assigned to the adapter serial port if disconnected and reconnected, or disconnected from one USB port and installed in another.

A versatile connectivity solution that bridges legacy serial peripheral devices with newer USB-capable computers, the USB to Serial adapter offers broad operating system compatibility including Windows, Linux and Mac OS, for easy integration into mixed environments.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility





Applications

• Perfect for IT Administrators looking to add legacy functionality to newer notebooks, PCs and servers that lack an integrated RS232 port

• Connect, monitor and control industrial/automotive sensors and equipment

• Connect bar code scanners, receipt printers and other point of sale devices

• Connect a satellite receiver, serial modem, or PDA with serial sync

• Connect and program LED and Digital signage boards with serial communication ports

Features

• USB to Straight-Through RS232 Serial Adapter

• COM Port assignments maintained across reboot

• Supports data transfer rates of up to 920kbps

• Powered by an available USB port - no external power adapter required

• Provides dual buffers for upstream and downstream data transfer

General		
	UPC	065030820080
	Package Quantity	1
	Warranty	2 Years
Special Notes / Requirements		
	System and Cable Requirements	PC with an available USB 1.1 (or above) port
Physical & Environmental		
	Color	Black
	Material	Plastic

	Cable Length	12.0 in [30.5 cm]
	Product Length	12.0 in [30.5 cm]
	Product Width	1.3 in [34.0 mm]
	Product Height	0.6 in [15.0 mm]
	Weight of Product	1.1 oz [30.0 g]
	Operating Temperature	-10C to 80C (14F to 176F)
	Storage Temperature	-20C to 100C (-4F to 212F)
	Humidity	5~85% RH
Performance		
	Max Baud Rate	921.6 Kbps
	Serial Protocol	RS-232
	MTBF	5,886,380 hrs
Hardware		
	Number of Ports	1
	Interface	Serial
	Bus Type	USB 2.0
	Port Style	Cable Adapters
	Chipset ID	Prolific - PL2303GT
Packaging & In-the-Box		
	Included in Package	1 - USB to Serial Adapter
		1 - Driver CD
		1 - Instruction Manual
	Package Width	5.6 in [14.2 cm]
	Package Depth	6.9 in [17.4 cm]
	Package Height	1.3 in [33 mm]
	Shipping (Package)	3.5 oz [100 g]

	Weight	
Connector(s)		
	Connector 1 (Quantity)	1
	Connector 1	DB-9 Serial
	Connector 2 (Quantity)	1
	Connector 2	USB-A (480Mbps, 2.5W)

Product appearance and specifications are subject to change without notice.