
2m USB 2.0 A to Right Angle B Cable - M/M

**Product ID:** USBAB2MR



The USBAB2MR 2-meter USB printer cable features one USB 'A' male connector and one right-angle USB 'B' male connector, providing a high-quality connection to USB 2.0 peripherals.

The right-angled USB ‘B’ connector allows you to connect to your hard-to-reach USB 2.0 printers, scanners, external hard drives,etc. and enables installation in narrow spaces.

Constructed of only top quality materials and expertly designed for durability, this angled USB cable is backed by StarTech.com's Lifetime Warranty.

As an alternative, StarTech.com also offers aUSBAB2MRUSBAB2ML(USBAB2ML), which provides the same convenience as this right-angled cable, but allows you to connect to your USB device from the opposite direction.

## Certifications, Reports and Compatibility

## Applications

• Connecting USB 2.0 devices such as printers, scanners or external USB hard drives, even in hard to reach areas and narrow spaces

## Features

• 1x USB 'A' male connector

- 1x Right-angled USB 'B' male connector
- Aluminum-Mylar Foil with Braided Shielding
- Supports USB 2.0 data transfer rates up to 480 Mbps

| | | |
|---|---|---|
| **General** | | |
| | UPC | 065030851657 |
| | Warranty | Lifetime |
| **Physical & Environmental** | | |
| | Color | Black |
| | Connector Style | Straight to Right Angle |
| | Wire Gauge | 24/28 AWG |
| | Cable Length | 6.6 ft [2 m] |
| | Product Length | 6.6 ft [2.0 m] |
| | Product Width | 0.6 in [15.4 mm] |
| | Product Height | 0.4 in [10.0 mm] |
| | Weight of Product | 2.1 oz [60.6 g] |
| | Operating Temperature | -20C to 60C (-4F to 140F) |
| | Storage Temperature | 10C to 30C (50F to 86F) |
| | Humidity | 30%-75% RH |
| **Hardware** | | |
| | Connector Plating | Nickel |
| | Cable Jacket Material | PVC (Polyvinyl Chloride) |
| | Cable Shield Material | Aluminum-Mylar Foil with Braid |
| **Packaging & In-the-Box** | | |
| | Included in Package | 1 - 2m USB 2.0 A to Right Angle B Cable - M/M |
| | Package Width | 5.8 in [14.7 cm] |

| | | |
|---|---|---|
| | Package Depth | 5.1 in [13 cm] |
| | Package Height | 0.8 in [20 mm] |
| | Shipping (Package) Weight | 2.2 oz [62 g] |
| **Connector(s)** | | |
| | Connector 1 (Quantity) | 1 |
| | Connector 1 | USB-A (480Mbps, 2.5W) |
| | Connector 2 (Quantity) | 1 |
| | Connector 2 | USB-B (480Mbps, 2.5W) |

***Product appearance and specifications are subject to change without notice.***