HP 747 300-ml Chromatic Green DesignJet Ink Cartridge (P2V84A)



Overview

HP 747 Ink Cartridge, chromatic green (300 ml)

See high-contrast color with chromatic HP Vivid Photo Inks and high-definition HP printheads.[1] Water- and fade-resistant prints[2] last over 200 years in dark storage.[3] Achieve more quality with fewer inks[4] to help lower your printing costs.

Get amazing, professional photo quality

Deliver high quality with confidence with an expanded color gamut enabled by RGB HP Vivid Photo Inks.[1]

Work without delays for high productivity

Ready when you are—Original HP inks are designed to maintain reliability, maximize the life of HP printheads.

Help lower your printing costs

More quality with fewer inks[4] helps lower your printing costs, and helps lower your environmental footprint.

---

[1] Chromatic red is an HP 746 DesignJet Ink Cartridge.

[2] Performance may vary based on writing system differences. Print permanence estimates by HP Image Permanence Lab based on the same formulation of HP Vivid Photo Inks used with the HP DesignJet Z6200 Photo Production Printer, using 6 inks. Water resistance performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab on a range of HP media. For more information, see http://www.HPLFMedia.com/printpermanence.

[3] As of May 2017, tests conducted by Wilhelm Imaging Research, Inc. (WIR) indicate that documents printed with HP pigment-based inks printed on HP Bright White Inkjet Paper stored in the dark (assuming that the document is stored in a file folder, in a box, and is otherwise protected from possible ozone exposure and contact with water) will achieve WIR Dark Storage Permanence Ratings of "greater than 200 years." For more information, see HPLFMedia.com/printpermanence.

[4] Compared to the HP DesignJet Z3200 Photo Printer series using 12 inks.

Specifications

Ink types	Pigment-based
Print Cartridge/Bottle, Color(s)	Chromatic green
Print Technology	Ink
Supply type	Cartridges
Print cartridge/bottle volume	300 ml
Operating temperature range	20 to 25°C
Storage temperature range	-40 to 60°C
Operating humidity range	40 to 55% RH
Non-Operating Humidity Range	8 to 90% RH
Print Resolution Technologies	TIJ 4.0
Printing Material Shelf Life	24 months
Compatibility	HP DesignJet Z9 Printer series
Product count per unit	1
Case or master carton quantity	5
Quantity per pallet	510
Cartons per pallet	102
UPC number	191628213597
Pallet barcode	20191628213591
Dimensions (W x D x H)	283 x 41 x 118 mm
Dimensions (W x D x H)	11.14 x 1.61 x 4.65 in
Package dimensions (W x D x H)	283 x 41 x 118 mm
Package dimensions (W x D x H)	11.14 x 1.61 x 4.65 in
Case or master carton dimensions (W x D x H)	298 x 218 x 132 mm
Case dimensions (case or master carton)	11.73 x 8.58 x 5.2 in
Pallet dimensions (W x D x H)	1016 x 1219.2 x 919.48 mm
Pallet dimensions	40 x 48 x 36.2 in
Case weight (case or master carton)	2.81 kg
Package weight	0.51 kg
Package weight	1.13 lb
Pallet weight	304.37 kg
Pallet weight	671.01 lb

What's in the box	Ink cartridge
Manufacturer Warranty	Until the “Warranty Ends” date has been reached or the warranted usage limit has been reached, whichever occurs first.

Additional specifications

BCP bubble graphic color	Green
Cartons per layer	17
Cartridge Colors	Green
Case weight (case or master carton, imperial)	6.19 lb
Count of layers in pallet	6
Operating temperature range	68 to 77°F
Package count	1
Print technology	HP Thermal Inkjet
Product subgroup	Standard Capacity Ink Cartridges
Selectability	747
Smaller master carton barcode	10191628213594
Storage temperature range	-40 to 140°F
Subgroup	Standard Capacity Cartridges
Total CO2e (kg)	0.8 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
UNSPSC code	44103105
Warranty	Each HP ink cartridge, printhead, and related supply is warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to any HP ink cartridge or printhead when used in its designated HP or authorized original equipment manufacturer (OEM) printing device. See the product manual for the printer to determine the correct ink cartridge, printhead, or related supply selection. This warranty does not cover HP ink products that have been refilled, remanufactured, refurbished, misused, or tampered with. The coverage lasts until the “Warranty Ends” date has been reached or the warranted usage limit has been reached, whichever occurs first. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTIES ARE EXCLUSIVE AND NO OTHER WARRANTY, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HEWLETT-PACKARD SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR SATISFACTORY QUALITY. TO THE EXTENT ALLOWED BY LOCAL LAW, THE REMEDIES IN THIS WARRANTY STATEMENT ARE YOUR SOLE AND EXCLUSIVE REMEDIES. IN NO EVENT SHALL HEWLETT-PACKARD BE LIABLE FOR ANY INCIDENTAL, DIRECT, CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR LOST PROFITS FROM ANY BREACH OF THIS WARRANTY OR OTHERWISE. SOME COUNTRIES, STATES OR PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

Weight	0.45 kg
Weight	1 lb

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 14, 2026 2:45 AM UTC+0000