
# HP 130A Magenta Original LaserJet Toner Cartridge (CF353A)




## Overview

**HP 130A LaserJet Toner Cartridge, magenta, 1,000 pages[3]**

Make documents and marketing materials look professional when you print with Original HP LaserJet toner cartridges. Keep your home or office productive—avoid wasted time, toner, and paper. These cartridges are specifically designed for your printer.

### Count on quality

Make an impact—print standout color documents with vivid graphics and sharp detail.

### Get right back to business

Replacement made simple—shop for replacement cartridges and quickly install.

### Impressive results—without pause

The choice you can trust—avoid frustrating reprints, wasted supplies, and delays.

### Small effort, big impact

HP helps you recycle your Original HP cartridges—it's easy and free with the HP Planet Partners program.[2]

---

*[2] Program availability varies, see www.hp.com/hprecycle .*

*[3] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.*

## Specifications

| | |
|---|---|
| **Print Cartridge/Bottle, Color(s)** | Magenta |
| **Print Technology** | Laser |
| **Supply type** | Cartridges |
| **Operating temperature range** | 15 to 27°C |
| **Storage temperature range** | -20 to 40°C |
| **Operating humidity range** | 10 to 70% RH |
| **Non-Operating Humidity Range** | 10 to 95% RH |
| **Print Resolution Technologies** | Smart |
| **Compatibility** | HP LaserJet Pro Color MFP M176 series, HP LaserJet Pro Color MFP M177 series |
| **Product count per unit** | 1 |
| **Quantity per pallet** | 429 |
| **Quantity per European pallet** | 324 |
| **Cartons per pallet** | 429 |
| **UPC number** | 886112939311 |
| **Dimensions (W x D x H)** | 363 x 83 x 86 mm |
| **Dimensions (W x D x H)** | 14.29 x 3.27 x 3.39 in |
| **Package dimensions (W x D x H)** | 363 x 83 x 86 mm |
| **Package dimensions (W x D x H)** | 14.29 x 3.27 x 3.39 in |
| **Pallet dimensions (W x D x H)** | 1102 x 950 x 1262 mm |
| **Pallet dimensions** | 43.4 x 37.4 x 49.7 in |
| **Package weight** | ~0.5 kg |
| **Package weight** | ~1.1 lb |
| **Pallet weight** | 235 kg |
| **Pallet weight** | 516.9 lb |
| **Page Yield** | 1000 |
| **What's in the box** | Toner cartridge; Recycling guide |
| **Manufacturer Warranty** | HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. |

## Additional specifications

| | |
|---|---|
| **BCP bubble graphic color** | Magenta |
| **Business filter** | cMPS |
| **Cartons per layer** | 33 |
| **Cartridge Colors** | Magenta |
| **Color yield** | 1000 |
| **Compatibility headline** | HP 130 toner cartridges work with: |
| **Component type** | Cartridges |
| **Count of layers in pallet** | 13 |
| **EmpCo GARAN Label** | https://hp.widen.net/s/zrqz6mwxvv/empco_95mm_x_100mm_label_color_toner_supplies_8679904 |
| **European pallet dimensions (W x D x H)** | 1102 x 780 x 1181 mm |
| **Master or single cartons per layer (European pallet)** | 27 |
| **Operating temperature range** | 59 to 81°F |
| **Package count** | 1 |
| **Page yield (color)** | ~1,000 pages |
| **Page yield (magenta)** | 1 Magenta (~1,000 pages) |
| **Pallet weight** | 182.5 kg |
| **Print technology** | Laser |
| **Product subgroup** | Standard Capacity Toner Cartridges |
| **Recycled material content** | 14% |

| | |
|---|---|
| **Segment (filter)** | Traditional HP Toners |
| **Selectability** | 130A |
| **Stacking number for carton** | 52 |
| **Storage temperature range** | -4 to 104°F |
| **Subgroup** | Standard Capacity Cartridges |
| **Total CO2e (kg)** | 2.3<br>*(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)* |
| **UNSPSC code** | 44103103 |
| **Warranty** | HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANT Y IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU. |
| **Weight** | ~0.3 kg |
| **Weight** | ~0.66 lb |

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.