EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3272/162/04/24/0831

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA**
AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO
CHILE

Description

PPE Type : ***protective glove against mechanical risks***

Product reference : **EAGLE 1700**

Article code :

Glove description : **13G black polyester glove, black PU coated**

Available sizes : **6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL, 12/XXXL**

Pictures :



COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA
AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO
CHILE
Lot# XXXXXX



Reference standard :	Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020	**-**
EN 388:2016 + A1:2018	**3 1 3 1 X**

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from April 2024.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Séverine AUBERT
Certification team leader

CE MARKING DEPARTMENT CTC NB 0075 EU-Type Examination Certificate

Date of first issue: 23 April 2024
Date of end of validity: 23 April 2029

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

CE MARKING CTC NOTIFIED BODY n° 0075 by CTC

cofrac CERTIFICATION DE PRODUITS ET SERVICES
Accreditation n# 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com
cemarking@ctcgroupe.com
CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com
Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	**:**	**EAGLE 1700**
Article code	**:**	
Technical file index	**:**	**01**
Last update	**:**	**April 2024**

IDENTIFICATION

Reference of the product :	:	EAGLE 1700
Article code :	:	
Basic Model		
Technical file index :	:	01
Last update :	:	April 2024

Manufacturer :

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO

CHILE

tel : 56 2 2544 7600

fax :

Factory :

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

CHINA

tel: 0536-2587338

fax:

GLOVE DESCRIPTION

General glove description and intended use:

13G black polyester glove, black PU coated

This glove is designed against mechanical risks.

Type of coating finish : smooth

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	**Covered by**
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒ Standard ☒ Instruction for use ☒ Marking
§1.4	Manufacturer's instructions and information is available	☒	☒ Standard ☒ Instruction for use ☐ Marking
§2.5	PPE which may be caught up during use	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒ Standard ☒ Instruction for use ☒ Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒ Standard ☒ Instruction for use ☒ Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m^2)	Gauges	Thickness
Palm		black	PU			0.1-0.2mm
		black	polyester	160g/m2	13gauges / inch	
Back		black	polyester	160g/m2	13gauges / inch	
Cuff		black	polyester / elastic	310g/m2	13gauges / inch	
Binding		yellow / green / blue / brown	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5

Available size range: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL, 12/XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S210605125_1 S231110601_1 (DMFu) S200909578_1 S200909577_1 S210302076_1 S211010186_1	
EN 388	S210605125_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :
Logo CE
Glove's reference : EAGLE 1700
Article Code :
Size indicator
Pictograms related to risks against which protection is offered with performance levels
Information pictogram
Address of Manufacturer :
Date of Manufacture (month/year) and/or serial/batch number :
Date of obsolescence (month/year) if applicable:

Marking example :



COMERCIALIZADORA DE ARTICULOS DE
PROTECCION Y SEGURIDAD INDUSTRIAL
MANQUEHUE LTDA
AV. AMÉRICO VESPUCIO NORTE 0401,
QUILICURA, SANTIAGO
CHILE
Lot# XXXXXX

Method of marking on the glove :

Printing on the back

Packaging suitable for transport:

1 pair/bag, 12 pairs/PE bag, 240 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

According to ISO 9001, random inspect abrasion for every batch



intertek
Total Quality. Assured.

CERTIFICATE OF REGISTRATION

This is to certify that the management system of:

Shandong Xingyu Gloves Co., Ltd.

Middle of Yaoqian Road, Gaomi Economic Development Zone, Weifang, Shandong Province, P. R. China

has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The management system is applicable to:

Production of Textile Impregnated Gloves

Unified Social Credit Identifier:
91370785774181 60X7

Certificate Number:
111901026

Initial Certification Date:
17 February 2016

Date of Certification Decision:
26 January 2022

Issuing Date:
26 January 2022

Valid Until:
16 February 2025

intertek

UKAS MANAGEMENT SYSTEMS 014

Calin Moldovean
President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organisation maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone. The certificate remains the property of Intertek, to whom it must be returned upon request.
The annual validity of the certificate can also be checked through the website http://www.cnca.gov.cn of CNCA in China.

INSTRUCTIONS FOR USE

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO
CHILE

Glove reference : EAGLE 1700
Article code:
User notice index : 01
Last update : April 2024



COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA
AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO
CHILE
Lot# XXXXXX

Glove description :

13G black polyester glove, black PU coated

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available size range: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL, 12/XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Information about marking

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

CE The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018

Read carefully the instructions for use provided with the product



3 1 3 1 X
Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear…).

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.