Contents

		Page
1	2D Views	2
2	Configuration settings	3
3	Contact information	4

1 2D Views







2 Configuration settings

Configuration	
Internal article number	3044131
Manufacturer product designation	Feed-through terminal block
GTIN (EAN) code	4017918960438
width	8.2
height	47.7
rated voltage	1000
nominal cross section	6
depth	46.9
flammability rating of the insulating material (based on UL 94)	V0
Closing plate required	True
Connection type (1)	Screw connection
Power loss per pole, current-dependent [PIIp]	1.31
Max. line cross section, flexible	10
Max. line cross section, rigid	10
Min. line cross section, flexible	0.2

Bill of Materials Data	
Manufacturer	PHOENIX CONTACT
Manufacturer product designation	Feed-through terminal block
Internal article number	3044131
GTIN (EAN) code	4017918960438
width	8.2
height	47.7
rated voltage	1000
nominal cross section	6
depth	46.9
flammability rating of the insulating material (based on UL 94)	V0
Closing plate required	True
Connection type (1)	Screw connection
Power loss per pole, current-dependent [PIIp]	1.31
Max. line cross section, flexible	10
Max. line cross section, rigid	10
Min. line cross section, flexible	0.2

3 Contact information

Phoenix Contact GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg DE

✉ info@phoenixcontact.com

@ www.phoenixcontact.com