Contents

Page

1 2D Views 2

2 Configuration settings 3

3 Contact information 4

1 2D Views







2 Configuration settings

Configuration	
Internal article number	3044160
Manufacturer product designation	Feed-through terminal block
GTIN (EAN) code	4017918960445
width	10.2
height	47.7
rated voltage	1000
nominal cross section	10
depth	46.9
flammability rating of the insulating material (based on UL 94)	V0
Closing plate required	True
Connection type (1)	Screw connection
Power loss per pole, current-dependent [PIIp]	1.82
Max. line cross section, flexible	16
Max. line cross section, rigid	16
Min. line cross section, flexible	0.5

Bill of Materials Data	
Manufacturer	PHOENIX CONTACT
Manufacturer product designation	Feed-through terminal block
Internal article number	3044160
GTIN (EAN) code	4017918960445
width	10.2
height	47.7
rated voltage	1000
nominal cross section	10
depth	46.9
flammability rating of the insulating material (based on UL 94)	V0
Closing plate required	True
Connection type (1)	Screw connection
Power loss per pole, current-dependent [PIIp]	1.82
Max. line cross section, flexible	16
Max. line cross section, rigid	16
Min. line cross section, flexible	0.5

3 Contact information

Phoenix Contact GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg DE

✉ info@phoenixcontact.com

@ www.phoenixcontact.com