



ventus V12 evo



The new power in sports driving!
A new concept in ultra high performance tires that delivers superb control and braking.
Experience unrivalled comfort during high-speed driving.

M-Code	Size	LI	SR	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
									(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			
60																					
1009161	225/60ZR18	100	W	C	4	VS	6.5	44	800	1764	727	28.6	228	9.0	176	6.9	8.0	10.0	328	726	2217
55																					
1008159	185/55R15	82	V	-	4	VS	6.0	44	475	1047	585	23.0	192	7.6	189	7.4	7.8	9.8	267	902	1784
1009123	185/55R15	82	V	E-	4	VS	6.0	44	475	1047	585	23.0	192	7.6	156	6.1	7.8	9.8		902	1784
1008160	195/55R15	85	V	-	4	VS	6.0	44	515	1135	595	23.4	201	7.9	164	6.5	7.8	9.8	271	887	1815
1009124	195/55R15	85	V	E-	4	VS	6.0	44	515	1135	595	23.4	201	7.9	164	6.5	7.8	9.8		887	1815
1009582	195/55R15	85	V	C-	4	VS	6.0	44	515	1135	589	23.2	193	7.6	164	6.5	8.2	10.3		896	1796
1009045	205/55ZR16	XL 94	W	E-	4	VS	6.5	50	670	1477	629	24.8	214	8.4	172	6.8	8.0	9.9		839	1918
1009580	205/55ZR16	XL 94	W	C-	4	VS	6.5	50	670	1477	629	24.8	209	8.2	172	6.8	8.2	10.3		839	1918
1010046	205/55ZR16	XL 94	W	E	4	VS	6.5	50	670	1477	629	24.8	214	8.4	172	6.8	8.0	9.9		839	1918
1010652	205/55ZR16	XL 94	W	M	4	VS	6.5	50	670	1477	629	24.8	214	8.4	172	6.8	8.0	9.9		839	1918
1009842	215/55R17	XL 98	V	E	4	SBL	7.0	50	340	1653	668	26.3	226	8.9	171	6.7	8.0	9.9		790	2037
50																					
1008038	195/50R15	82	V	-	4	VS	6.0	44	475	1047	574	22.6	201	7.9	164	6.5	8.0	10.0	263	919	1751
1009125	195/50R15	82	V	E-	4	VS	6.0	44	475	1047	577	22.7	201	7.9	164	6.5	7.8	9.8		914	1760
1009581	195/50R15	82	V	C-	4	VS	6.0	44	475	1047	574	22.6	200	7.9	164	6.5	8.2	10.3		919	1751
1010045	195/50R15	82	V	E	4	VS	6.0	44	475	1047	577	22.7	201	7.9	266	10.5	8.0	9.9	263	914	1760
1008377	205/50ZR15	86	W	-	4	VS	6.5	44	530	1168	587	23.1	214	8.4	172	6.8	8.0	10.0	267	899	1790
1009122	205/50ZR15	86	W	E-	4	VS	6.5	44	530	1168	585	23.0	213	8.4	189	7.4	7.8	9.8		902	1784
1008039	225/50ZR16	XL 96	W	-	4	VS	7.0	50	710	1565	629	24.8	233	9.2	189	7.4	7.8	9.8	287	839	1918
1009056	225/50ZR16	XL 96	W	E-	4	VS	7.0	50	710	1565	629	24.8	233	9.2	189	7.4	8.0	10.0		839	1918
1008166	205/50ZR17	XL 93	Y	E	4	VS	6.5	50	650	1433	635	25.0	211	8.3	172	6.8	8.0	10.0		831	1937
1009048	205/50ZR17	XL 93	Y	E-	4	VS	6.5	50	690	1433	635	25.0	211	8.3	172	6.8	8.0	10.0		831	1937
1008172	215/50ZR17	XL 95	W	E	4	VS	7.0	50	690	1521	646	25.4	226	8.9	181	7.1	7.8	9.8	296	817	1970
1009049	215/50ZR17	XL 95	W	E-	4	VS	7.0	50	545	1521	646	25.4	226	8.9	172	6.8	8.0	9.9		817	1970
1009934	225/50ZR17	XL 98	Y	E	4	VS	7.0	50	750	1653	658	25.9	229	9.0	190	7.5	8.0	9.9		802	2007
1010765	225/50ZR17	XL 98	Y	E-	4	VS	7.0	50	750	1653	656	25.8	229	9.0	266	10.5	8.0	9.9		804	2001
1008986	215/50ZR18	XL 96	Y	-	4	VS	7.0	50	710	1565	673	26.5	225	8.9	181	7.1	7.9	9.9		784	2053
1009566	215/50ZR18	XL 96	Y	E	4	VS	7.0	50	710	1565	684	26.9	255	10.0	181	7.1	8.0	9.9		771	2086
1009567	225/50ZR18	XL 99	Y	E	4	VS	7.0	50	775	1709	680	26.8	233	9.2	190	7.5	8.0	9.9		776	2074
1009228	235/50ZR18	XL 101	Y	-	4	VS	7.5	50	825	1819	693	27.3	245	9.6	198	7.8	8.0	9.9		761	2114
45																					
1009050	205/45ZR16	XL 87	W	E-	4	VS	7.0	50	545	1201	588	23.1	206	8.1	172	6.8	8.0	9.9		897	1793
1009583	205/45ZR16	XL 87	W	C-	4	VS	7.0	50	545	1201	585	23.0	201	7.9	178	7.0	8.2	10.3		902	1784
1010053	205/45ZR16	XL 87	W	E	4	VS	7.0	50	545	1201	588	23.1	206	8.1	178	7.0	8.0	9.9		897	1793
1010654	205/45R17	84	V	V	4	VS	7.0	51	500	1102	615	24.2	206	8.1	178	7.0	8.0	9.9			
1008164	205/45ZR17	XL 88	W	E	4	VS	7.0	50	560	1235	615	24.2	205	8.1	178	7.0	7.8	9.8	288	858	1876
1009051	205/45ZR17	XL 88	W	E-	4	VS	7.0	50	560	1235	615	24.2	205	8.1	172	6.8	8.0	9.9		858	1876
1008152	215/45ZR17	XL 91	Y	-	4	VS	7.0	50	615	1356	624	24.6	213	8.4	189	7.4	8.0	10.0		846	1903
1008656	215/45ZR17	XL 91	W	E	4	VS	7.0	50	615	1356	624	24.6	213	8.4	187	7.4	8.0	10.0		846	1903
1009052	215/45ZR17	XL 91	Y	E-	4	VS	7.0	50	615	1356	624	24.6	213	8.4	172	6.8	8.0	9.9		846	1903
1009584	215/45ZR17	XL 91	W	C-	4	VS	7.0	50	615	1356	615	24.2	208	8.2	196	7.7	8.4	10.5		858	1876
1008404	225/45ZR17	XL 94	Y	E	4	VS	7.5	50	670	1477	631	24.8	225	8.9	196	7.7	7.8	9.8	249	836	1925
1009044	225/45ZR17	XL 94	Y	E-	4	VS	7.5	50	670	1477	631	24.8	227	8.9	196	7.7	8.1	10.3		836	1925
1009585	225/45ZR17	XL 94	W	C-	4	VS	7.5	50	670	1477	628	24.7	222	8.7	196	7.7	8.4	10.5		840	1915
1008165	235/45ZR17	XL 97	Y	E	4	VS	8.0	50	730	1609	642	25.3	236	9.3	187	7.4	7.8	9.8	295	822	1958
1009128	235/45ZR17	XL 97	Y	E-	4	VS	8.0	50	730	1609	642	25.3	237	9.3	189	7.4	8.0	9.9		822	1958
1008215	245/45ZR17	XL 99	Y	E	4	VS	8.0	50	775	1709	652	25.7	243	9.6	213	8.4	8.0	10.0		809	1989
1009129	245/45ZR17	XL 99	Y	E-	4	VS	8.0	50	775	1709	650	25.6	243	9.6	189	7.4	8.0	9.9		812	1983
1008976	215/45ZR18	XL 93	Y	E	4	VS	7.0	50	650	1433	649	25.6	213	8.4	187	7.4	8.0	9.9		813	1979
1008977	225/45ZR18	XL 95	Y	E	4	VS	7.5	50	690	1521	656	25.8	225	8.9	196	7.7	7.8	9.8	297	804	2001
1010764	225/45ZR18	XL 95	Y	E-	4	VS	7.5	50	690	1521	656	25.8	225	8.9	266	10.5	8.0	9.9		804	2001
1008987	235/45ZR18	XL 98	Y	-	4	VS	8.0	50	750	1653	669	26.3	236	9.3	204	8.0	7.9	9.9	307	789	2040
1009565	235/45ZR18	XL 98	Y	E	4	VS	8.0	50	750	1653	669	26.3	236	9.3	266	10.5	8.0	9.9		789	2040
1008216	245/45ZR18	XL 100	Y	E	4	VS	8.0	50	800	1764	677	26.7	243	9.6	213	8.4	8.0	10.0	267	779	2065
1009143	245/45ZR18	XL 100	Y	E-	4	VS	9.0	50	670	1477	633	24.9	259	10.2	213	8.4	8.0	9.9		834	1931
1009145	255/45ZR18	XL 103	Y	E-	4	VS	9.5	50	730	1609	643	25.3	267	10.5	213	8.4	8.0	9.9		821	1961
1009507	255/45ZR18	XL 103	Y	E	4	VS	8.5	50	875	1929	684	26.9	255	10.0	222	8.7	8.0	9.9		771	2086

Technical data subject to change without prior notice. • These size are currently under development * XL : Extra Load
* DSB : Diagonal Serrated Band * SBL : Serrated Black Letter



ventus V12 evo



M-Code	Size	LI	SR	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
									(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			

35

1009073	245/35ZR20	XL	95	Y	E	4	SBL	8.5	50	690	1521	679	26.7	245	9.6	213	8.4	8.0	10.0	777	2071	
1009074	255/35ZR20	XL	97	Y	E	4	SBL	9.0	50	642	1609	685	27.0	255	10.0	222	8.7	7.7	9.6	319	770	2089
1009075	275/35ZR20	XL	102	Y	E	4	SBL	9.5	50	748	1874	700	27.6	278	10.9	239	9.4	7.8	9.8	754	2135	
1009516	245/35ZR21	XL	96	Y	E	4	SBL	8.5	50	710	1565	705	27.8	245	9.6	213	8.4	8.0	9.9	748	2150	

30

1009504	285/30ZR18	XL	97	Y	E	4	SBL	10.0	50	730	1609	629	24.8	287	11.3	256	10.1	8.0	9.9	839	1918	
1009505	295/30ZR18	XL	98	Y	E	4	SBL	10.5	50	750	1653	634	25.0	298	11.7	170	6.7	8.0	9.9	832	1934	
1008207	265/30ZR19	XL	93	Y	E	4	SBL	9.5	50	650	1433	642	25.3	266	10.5	238	9.4	8.0	10.0	822	1958	
1009153	265/30ZR19	XL	93	Y	E-	4	SBL	10.5	50	690	1521	656	25.8	296	11.7	266	10.5	8.0	9.9	804	2001	
1008208	275/30ZR19	XL	96	Y	E	4	SBL	9.5	50	710	1565	648	25.5	272	10.7	248	9.8	8.0	9.9	814	1976	
1009047	275/30ZR19	XL	96	Y	E-	4	SBL	9.5	50	650	1565	648	25.5	272	10.7	196	7.7	8.0	9.9	814	1976	
1008978	285/30ZR19	XL	98	Y	E	4	SBL	10.0	50	660	1653	653	25.7	286	11.3	256	10.1	7.8	9.8	808	1992	
1009508	295/30ZR19	XL	100	Y	E	4	SBL	10.5	50	800	1764	659	25.9	305	12.0	266	10.5	8.0	9.9	801	2010	
1009509	305/30ZR19	XL	102	Y	E	4	SBL	11.0	50	850	1874	665	26.2	313	12.3	275	10.8	8.0	9.9	793	2028	
1009515	225/30ZR20	XL	85	Y	E	4	SBL	8.0	50	515	1135	644	25.4	228	9.0	203	8.0	8.0	9.9	819	1964	
1009068	235/30ZR20	XL	88	Y	E	4	SBL	8.5	50	560	1235	650	25.6	238	9.4	207	8.1	8.0	9.9	812	1983	
1009069	245/30ZR20	XL	90	Y	E	4	SBL	8.5	50	528	1323	655	25.8	244	9.6	213	8.4	7.7	9.6	310	806	1998
1009070	255/30ZR20	XL	92	Y	E	4	SBL	9.0	50	630	1389	662	26.1	255	10.0	229	9.0	8.0	9.9	797	2019	
1009071	275/30ZR20	XL	97	Y	E	4	SBL	9.5	50	642	1609	673	26.5	274	10.8	248	9.8	7.7	9.6	315	784	2053
1009072	285/30ZR20	XL	99	Y	E	4	SBL	10.0	50	775	1709	681	26.8	284	11.2	256	10.1	8.0	9.9	775	2077	
1009517	285/30ZR21	XL	100	Y	E	4	SBL	10.0	50	800	1764	705	27.8	290	11.4	266	10.5	8.0	9.9	748	2150	

25

1009513	295/25ZR20	XL	95	Y	E	4	SBL	10.5	50	690	1521	656	25.8	296	11.7	266	10.5	8.0	9.9	807	1994
1009514	305/25ZR20	XL	97	Y	E	4	SBL	11.0	50	730	1609	660	26.0	306	12.0	275	10.8	8.0	9.9	799	2013

Technical data subject to change without prior notice. • These size are currently under development * XL : Extra Load
 * DSB : Diagonal Serrated Band * SBL : Serrated Black Letter

The new power in sports driving!
 A new concept in ultra high performance tires that delivers superb control and braking.
 Experience unrivalled comfort during high-speed driving.