





VERTICAL


LIFELINE SYSTEM

I CONTENT




L5FL22

CABLE TENSIONER




L8VL51

STANDARD TOP ANCHOR



L8VL53

CABLE HOLDER




L8VL54

BOTTOM ANCHOR




L8VL52

EXTENDED TOP ANCHOR



L8VL55

ABSORBER




L8VL56

GLIDER



L8VL58

INFORMATIVE PLATE



L6FL23

CABLE CLAMP




L5FL15

EYE SWAGE TERMINAL



L5FL04

8mm WIRE ROPE 7x19






STANDARD MODEL

EXTENDED MODEL


INSTALLATION

TOP ANCHOR L8VL52




25 N·m

Screw Glue




25 N·m


Screw Glue



1 2 3
INSTALLATION SEQUENCE





OPTIONAL INSTALLATION
Ignore the bolts if not suitable




INSTALLATION




CABLE HOLDER
L8VL53



25 N·m Screw Glue




25 N·m Screw Glue










RESERVE ANGLE

25 N·m Screw Glue

INSTALLATION



**BOTTOM
ANCHOR
L8VL54**



INSTALLATION









**CRIMPING
TERMINATION**
L5FL15




**CABLE
CLAMP**
L6FL23



**CABLE
TENSIONER**
L5FL22



NOTICES



 **50-140** kgs

 **min. 2.5** m



$\angle$ max. **15°**



$\angle$ max. **15°**

